


HTC Series




Code	TPE-SEBS 50 Sha	HTC-0-7035	HTC-3-7035	HTC-16-7035
	TPE-SEBS 50 Sha V-0	HTC-0-V0-7035	HTC-3-V0-7035	HTC-16-V0-7035
Operating temperature		-40°C - +100°C	-40°C - +100°C	-40°C - +100°C
IP class		IP 65	IP 65	IP 65
Color		Grey RAL 7035	Grey RAL 7035	Grey RAL 7035
Number of cables		2 x 24mm -54mm 1 x 30mm -59mm 3 x 6mm -14mm	2 pc 24mm - 54mm 1 pc 30mm - 59mm 3 pc 6mm - 14mm	1 pc D-40 mm 15 pc D-20mm
Weight (kg)		0.17	0.229	0.17
Mounting hole size		FL21	FL21	FL21


*Fixing pins are included

*All multigates are available in black and white colors

Dimensions FL21 Standard



HTC Series




Code	TPE-SEBS 50 Sha	HTC-17-7035	HTC-25-7035
	TPE-SEBS 50 Sha V-0	HTC-17-V0-7035	HTC-25-V0-7035
Operating temperature	-40°C - +100°C		-40°C - +100°C
IP class	IP 65		IP 65
Color	Grey RAL 7035		Grey RAL 7035
Number of cables	9 pc 18mm - 30mm or 10mm - 14mm 4 pc 10mm - 15mm 4 pc 5mm - 10mm	1 pc 20mm - 26mm IP65 or 12mm - 15mm IP55 16pc 8mm - 14mm IP65 or 7mm - 10mm IP55 4pc 14mm - 20mm IP65 or 5mm - 10mm IP55 4 pc 5 mm - 7 mm IP65	
Weight (kg)	0.201		0.198
Mounting hole size	FL21		FL21


*Fixing pins are included

*All multigates are available in black and white colors

Dimensions FL21 Standard



HTC Series



Code	TPE-SEBS 50 ShA	HTC-35-7035	HTC-50-7035
	TPE-SEBS 50 Sha V-0	HTC-35-V0-7035	HTC-50-V0-7035
Operating temperature		-40°C - +100°C	-40°C - +100°C
IP class		IP 65	IP 65
Color		Grey RAL 7035	Grey RAL 7035
Number of cables		1 pc 17mm - 32mm 2 pc 12mm - 18mm 16 pc 10mm - 14mm 12 pc 7mm - 12mm 4 pc 6mm - 10mm	49 pc 7mm - 13mm 1 pc 15mm - 25mm
Weight (kg)		0.237	0.201
Mounting hole size		FL21	FL21

*Fixing pins are included

*All multigates are available in black and white colors